

Asian Journal of Agricultural Extension, Economics & Sociology

40(10): 244-250, 2022; Article no.AJAEES.89931

ISSN: 2320-7027

A Study on the Knowledge of the Farmers about Mandarin Cultivation Practices in East Jaintia Hills, Meghalaya

Kitlang Me I. Bamon at and Dipak Kumar Bose a

^a Department of Agricultural Extension and Communication, SHUATS, Prayagraj, India.

Authors' contributions

This work was carried out in collaboration between both authors. Both authors read and approved the final manuscript.

Article Information

DOI: 10.9734/AJAEES/2022/v40i1031069

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here:

https://www.sdiarticle5.com/review-history/89931

Received 12 May 2022 Accepted 19 July 2022 Published 22 July 2022

Original Research Article

ABSTRACT

The main purpose of the study was to determine the extent of farmer's knowledge on orange production. The aforementioned study was conducted in Saipung Block in East Jaintia Hills district, Meghalaya in the year 2022. A descriptive research designed was applied for this study. The primary data was collected from 120 respondents by personal interview method using pre-structure interview schedule. Knowledge of the farmers was measured by asking 18 questions in respect of orange production. Pearson's Product Moment coefficient of correlation (r) was calculated to determine the relationships between independent variables and knowledge of the respondents. Findings showed that 60.83 per cent of the respondents have medium level of knowledge mandarin plantation, 22.5 per cent have low level and 16.67 per cent have high level of knowledge about mandarin production. Co-efficient of correlation (r) analysis indicated that educational qualification, social participation, mass media exposure, farming experience and extension contact were found to be positively significant whereas variables like age, family Size, marital status, land holding, annual income and occupation were found to have no relationship with the knowledge of the farmers. The finding clearly indicates that the respondents have medium knowledge over mandarin cultivation and most of the selected independent variables had positively and significant correlated with the knowledge of the farmers.

Keywords: Knowledge; correlation co-efficient; mandarin.

1. INTRODUCTION

Agriculture has been the backbone of the Indian economy and it will continue to remain so for a long time. It has to support almost 17 per cent of world population from 2.3 per cent of world geographical area and 4.2 per cent of world's Increasing resources. water population, increasing average income and globalization effects in India will increase demand for quantity, quality and nutritious food, and variety of food. Therefore, pressure on decreasing available cultivable land to produce more quantity, variety and quality of food will keep on increasing.

In India citrus is cultivated over an area of near about 923.2 thousand hectares with an estimated production of 8607.7 thousand metric tonnes. The leading states for citrus fruits Pradesh, Maharashtra, Andhra Telangana, Madhya Pradesh, Karnataka. Puniab Assam. Because of the sweet-sour appealing taste and easy peelable quality of the rind, Nagpur mandarin is the most popular fruit among all the oranges in the country. Citrus reticulata is commonly known as Mandarin orange and is a large, distinctive and highly varied group that includes some of the finest and most highly reputed citrus fruits. It is not only famous due to its gorgeous appearance, pleasant taste but also for seed-lessness and easy peeling characters [1,2]. Their fruits vary in size and colour, with some being seedless. Tangerines, for example, are the brightly-coloured variety of Mandarins. The Mandarin orange's most distinctive feature is its easy-to-peel skin, which is so easy to remove that they are also called kid-glove or loose-skin oranges. The term tangerine and mandarin are used interchangeably and indicate easy peelers only [3].

A mandarin orange contains 85% water, 13% carbohydrates, and negligible amounts of fat and protein . Among micronutrients, only vitamin C is in significant content (32% of the Daily Value) in a 100-gram reference serving, with all other nutrients in low amounts. The fruits weigh 10.31 to 109.90 g, 7-14°Brix of Total Soluble Solids (TSS), 0.67-1.31 per cent acidity, 1.83 to 3.95 pH, total sugar 2.07 to 4.65 per cent. (Wikipedia ,20 April ,2022)

Meghalaya is favourable for a variety of subtropical and temperate fruits. Sub-tropical fruits grown include citrus species, pineapple, banana, papaya, guava and jack-fruit. Khasi Mandarin is adjudged as an important variety, widely known throughout the North Eastern region as well as outside and having good acceptance among the consumers.

Khasi Mandarin (Citrus reticulata Blanco.) is one of the most widely cultivated and important commercial fruit crop of Meghalaya Khasi mandarin is locally called as 'soh-niamtra' (in khasi language). It is mainly grown in the submountainous tract along the Indo-Bangladesh border region of the state and contributes about 79.74 per cent of the total citrus production of the state. It is the most economically fruit crop as it plays a vital role in the socio-economic development of the people in this region [4-6]. Khasi mandarin is well known for quality. fruit colour. unique sugar-acid blend and shelf life which make it the most popular citrus cultivar in northeastern region of the country. It covers the largest area in the region due to its commercial value.

The total area of Khasi mandarin in Meghalaya is 9.26 thousand hectare and production is 44.02 thousand MT. It is cultivated in all the eleven districts of Meghalaya with East Khasi Hills and West Khasi Hills districts contributing about 59.74 per cent of the total area and 67.77 per cent of the total production of mandarin in the state (GoM, 2019).

2. RESEARCH METHODOLOGY

Descriptive research design was followed for this study as it describes the characteristics or phenomenon that is being studied. The study was conducted at East Jaintia Hills, Meghalaya. Saipung block was selected purposively out of 2 blocks. Eight villages were selected randomly from this block and a total number of 120 mandarin farmers were selected proportionately for the present study.

2.1 Objective

- ➤ To analyze the socio-economic characteristics of the respondents,
- > To determine the knowledge of the respondents towards mandarin cultivation practices.

3. RESULTS AND DISCUSSION

3.1 Socio-economic Profile of Orange Growers

Socio-economic profile of the respondents has been studied by considering their age, education, land holding, annual income, marital status, occupation, land holding, farming experience, social participation, mass media exposure and extension contact are showed below.

Age: The perusal of the data given in table 1 revealed that the majority of the respondents (65.83%) were in middle age followed by 27.50

per cent of respondents fall under the category of old age group and 6.67 per cent of the respondents fall under young age group. Similar finding were reported by Jamdhahde (2015) and Meena et al. [7].

Marital status: The majority of the respondents (81.67%) were married, 14.16 per cent were widowed and only 4.17 were unmarried.

Family size: It was found that 49.17 per cent of the respondents were having a family size of 5-8 members, 27.50 per cent up to members and 23.33 per cent above 8 members. Similar finding were reported by Adhikari et al. [8].

Table 1. Characteristics of the respondents (N=120)

SI. no	Attributes	Characteristics	f	%
		Young age group (up to 35 year)	8	6.67
1	Age	Middle age group (36 to 55 year)	79	65.83
	_	Old age group (above 55 year)	33	27.50
		Married	98	81.67
2	Marital status	Unmarried	5	4.17
		Widowed	17	14.16
		Low (Up to 5 members)	33	27.50
3	Family size	Medium (5-8 members)	59	49.17
	•	High (Above 8 members)	28	23.33
		Illiterate	60	50.00
		Primary school (1to 7 th)	22	18.34
4	Educational	High school (7 to 10 th)	13	10.83
	qualification	Intermediate (10 to 12 th)	12	10.00
	•	Graduate &above	13	10.83
		Farming + Business	63	52.50
5	Occupation	Farming + Government Service	21	17.50
		Farming	36	30.00
		Marginal Farmers (< 1hectares)	84	70.00
6	Land holding	Small Farmers (2.51 to 5.00 hectares)	29	24.17
•	9	Medium Farmers (5.0 to 10 hectares)	4	3.33
		Big Farmers (> 10 hectares)	3	2.50
		Low (Up to 10 years)	42	35.00
7	Farming experience	Medium (10 to 15 years)	50	41.67
-	. a.i.i.g experience	High (Above 15 years)	28	23.33
		Low (Up to 1 Lakh)	21	17.50
8	Annual income	Medium (1-2 Lakhs)	59	49.17
•	7	High (Above 2 lakhs)	40	33.33
9	Social participation	Member	40	33.33
•	Coolai participation	Non Member	80	66.67
		Low	49	40.83
10	Mass media	Medium	56	46.67
. •	exposure	High	15	12.50
	capoodi o	Low	33	27.50
11	Extension contact	Medium	64	53.33
• •	Extension contact	High	23	19.17

Occupation: Majority of the respondents (52.50) were engaged in farming and business as their main occupation. The table above also indicated that 50.00 per cent of the respondents were illiterate followed by 18.34 per cent was educated up to primary subsequently 10.83 per cent each till high school and graduate& above whereas the remaining 10% were educated up to intermediate. Finally the results clearly indicates that majority of the respondents were illiterate. Similar finding were reported by Yogita et al. [9].

Farming experience: It was found that 41.67 per cent of the respondents were having a farm experience of 10-15 years, 35 per cent have experience of below 10 years while 23.33 per cent of the respondents have a farming experience of above 15 years. Similar finding were reported by Kakki et al. [10].

Annual income: It was revealed that most of the respondents (49.17 %) were found under medium income group, followed by the 33.33 per cent were under high income group and 17.5 per cent under low income group. Similar finding were reported by Rai et al. [11].

Social participation: Majority (66.67 %) of the respondents were not member of any political, social, rural or cultural organization. Similar finding were reported by Akter et al. [12].

Mass media exposure: The above Table 1 shows that 46.67 per cent of the respondents have medium exposure to media and 40.83 per cent have low exposure while the remaining 12.5 per cent of the respondents had high exposure to media as a source of information towards mandarin cultivation.

Extension contact: Lastly, regarding extension contact was found that 53.33 per cent of the respondents have medium level of contact, 27.5 per cent have low level of contact and about 19.17 per cent of the respondents have high level of contact. Similar finding were reported by Kakki et al. [10] and Saryam et al. [13].

3.2 Knowledge of the Respondents towards Mandarin Cultivation practices

The Table 2 indicates that all the respondents (100 %) are aware of the variety (Khasi mandarin) being planted. Majority of the respondents (89.17 %) were not aware about the suitable soil (Sandy loam) for mandarin since

most of them were illiterate. About 91.67 per cent of the respondents have no knowledge about soil testing. 100 % of the respondents have full knowledge regarding propagation through seeds, more than half of the respondents (59.17 %) have no knowledge about budding and the reason behind this is that the success rate is very low since they have limited knowledge in budding. Majority of the respondents (72.5%) were partially correct about the recommended plant spacing (4.5m x 4.5m). About 55.83 per cent of the respondents were partially correct about the pit size (30cm x 30cm x 30cm). It is found that 100 per cent of the respondents have full knowledge regarding the planting time (June-August). Majority of the respondents (85%) were not aware/no knowledge about irrigation for they depend entirely on rain. 87.50 per cent have full knowledge about application of FYM. About 92.5 per cent of the respondents have no knowledge regarding any sorts of chemical fertilizer and 78.33 per cent of the respondents do not have any knowledge about insecticides/pesticides since the government emphasizes more on production chemical organic and fertilizer/pesticides/insecticides are not easily available in the state. Around 93.33 per cent have full knowledge about mulching. All the respondents (100 %) have full knowledge about weeding as well as in the case of intercropping for it shows enormous advantages to the farmers over adopting this practices. About 90 per cent of the respondents have full knowledge about application of lime (caco2).

Based on the data in (Table.1) it can be observed in (Table.2) that majority (60.83 %) of the respondents have medium level of knowledge mandarin plantation, 22.5 per cent have low level of knowledge and 16.67 per cent have high level of knowledge about mandarin. Similar findings were founds in Meena [14], Ingole [15] and Yadav [16].

3.3 Association between Selected Independent Variables with Knowledge of Respondents

The result of correlation analysis in above Table 4 revealed that characteristics namely educational qualification, mass media exposure and extension contact were found to have positive and highly significant with adoption at 0.01 per cent level of probability whereas farming experience and social participation had positively significant with adoption at 0.05 per cent level of probability, hence null hypothesis (Ho) is rejected

Table 2. Distribution of the knowledge level of the respondents about mandarin cultivation practices

(N=120)

S.	Statements	Knowledge						
No.		Fully Known P			Partially known		Not Known	
		f	%	f	%	F	%	
1	Variety (Khasi mandarin)	120	100	0	0	0	0	
2	Soil type(sandy loam)	3	2.5	10	8.33	107	89.17	
3	Soil Testing	7	5.83	3	2.5	110	91.67	
	(NPK status and pH level)							
4	Propagation through seeds	120	100	0	0	0	0	
5	Propagation through budding	9	7.5	40	33.33	71	59.17	
6	Plant Spacing (4.5m x 4.5m)	24	20	87	72.5	9	7.5	
7	Pit size (30cm x 30cm x 30cm)	10	8.33	67	55.83	43	35.84	
8	Planting time (June to August)	120	100	0	0	0	0	
9	Irrigation	6	5	12	10	102	85	
10	FYM	105	87.5	11	9.17	4	3.33	
11	Chemical fertilizer	0	0	9	7.5	111	92.5	
12	Insecticides / Pesticides	0	0	26	21.67	94	78.33	
13	Mulching	112	93.33	7	5.83	1	0.84	
14	Weeding	120	100	0	0	0	0	
15	Intercropping	120	100	0	0	0	0	
16	Application of lime(caco2)	108	90	10	8.33	2	1.67	

Table 3. Overall knowledge of the respondents towards mandarin cultivation

S.No	Category	Frequency	Percentage
1	Low (32-35)	27	22.50
2	Medium (36-39)	73	60.83
3	High (40-44)	20	16.67
	Total	120	100.00




Fig. 1. Overall knowledge of the respondents towards mandarin cultivation

Table 4. Association between selected independent variables with knowledge

SI. No	Variables	Pearson's correlation Coefficient
1	Age	0.015 NS
2	Educational Qualification	0.651**
3	Marital Status	0.159 NS
4	Family size	0.129 NS
5	Occupation	0.185 NS
6	Land holding	0.0458 NS
7	Farming Experience	0.224*
8	Annual Income	0.198 NS
9	Social Participation	0.259*
10	Mass Media Exposure	0.315**
11	Extension Contact	0.694**

in this case. The positive significant relationship shows that when the level of the above variables education, farming experience, social participation, mass media exposure, extension contact increases, than the adoption of the respondents about recommended practices also increases. The variables age, Family Size, Marital status, land holding, annual income and occupation were found to have no relationship with the knowledge of the farmers so these were non-significant hence, null hypothesis (Ho) is accepted in this case. The finding clearly indicates that most of the selected independent variables had positively and significant correlated with the knowledge of the respondents. The findings were partially related with Kumar et al. [17].

4. CONCLUSION

It is concluded that majority of the respondents had medium level of knowledge in mandarin cultivation followed by low and high. The possible reasons for this are that the farmers are not exposed regularly to trainings about mandarin cultivation and also having a low income becomes hard for the farmers to maintain the productivity of the orchard since it requires labour and is time consuming. Subsequently majority of the selected independent variables were positively significant with the knowledge of the farmers.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

 Bhagel B. A Study On Adoption of Orange Growers in Relations to Improved

- Production Technology In Block Sausar Chinndwara, Madhya Pradesh, M.S.c (Ag), Thesis, Jawaharlal Nehru Krishi Vishwa Vidyalaya, Jabalpur; 2013.
- 2. Dhole MB. Adoption behaviour of orange growers under employment guarantee scheme. M.Sc. (Agri) Thesis (unpub.), Dr. PDKV, Akola; 2006.
- Ladaniya MS. Commercial fresh citrus cultivars and producing countries. Citrus Fruit: Biology, Technology and Evaluation. Academic Press, San Diego. 2008:13-65.
- 4. Tukaram SJ. nformation and Communication Technology (ICT) tools usued by Orange Farmers, M.Sc (Agri),Thesis (unpub.) Dr. PDKV Akola; 2015.
- 5. Kadam RP, Umate SM, Pawar GS, Waghmare OR. Organization of Training for Sweet Orange Growers in Marathwada Region. 2014;9(4):574-574.
- 6. Pelebei UK, Patra NK. Study on knowledge and adoption of improved cultivation practices of mandarin (Citrus reticulata blanco) Growers in Nagaland, India, Indian Journals of Extension Education. 2020;56(4):(126) Last page: (133), Print ISSN: 0537-1996, Online ISSN: 2454-552X
- Meena RR, Geanger KL, Meena BL, Bhatnagar P, Meena PL. Analysis of Adoption and Constraint Perceived by Mandarin Growers in Jhalawar District of Rajasthan State, India, International Journal of Current Microbiology and Applied Sciences, ISSN: 2319-7706. 2017;(4):1465-1470.
- 8. Adhikari A, Dhital PR, Ranabhat S, Koirala S. An assessment of mandarin (Citrus reticulata Blanco.) orchard management practices in Dailekh, Nepal. 2021;6:3.

- 9. Yogita W, Kale NM, Bhople PP, Jangwad NP. Profile and constraints of orange growers in adoption of soil testing techniques in Amravati district, International Research Journals. 2017; 12(1):52-60.
- Kakki P, Talukdar RK, Das P, Bora P. Adoption Behaviour of Khasi Mandarin Growers Tribal Farmers in Arunachal Pradesh, Indian Research Journal of Extension Education; 2022. ISSN: 0972-2181 (Print), 0976-1071 (e-Print).
- 11. Rai DP, Singh SK, Pandey S. A study on adoption of orange production technology by the farmers in Chhindwara district of M.P.. Agric. Update. 2012;7(3&4):441-446.
- Akter S, Mohammad RK, Mohammad 12. ASM. Department of Agricultural Extension. Haiee Mohammad Danesh Science and Technology University, Dinajpur, Bangladesh Lournal Extension Education, ISSN 1011-3916. 2020;32(2):18-2.
- Saryam M, Jirli B. Socio Economic Status of Orange Farmers in Chhindwara District of Madhya Pradesh, International Journal

- of Agricultural Science and Research (IJASR) ISSN (P): 2250–0057; ISSN (E): 2321–0087:10.
- Meena V. Knowledge and adoption of improved technology of guava plantation in Sawai Madhopour Districts of Rajasthan. M.sc.(Agri) thesis (Unpub). RAU, Bikaner Carnpus – Jobner; 2004.
- Ingole VS. Knowledge and adoption of recommended technologies by mandarin growers. Department of Extension Education, Dr. Panjabrao Deshmukh Krishi Vidyapeeth, Akola. M. Sc. 2020. Print. Xv:94. (Unpublished).
- 16. Yadac BC. Study on knowledge and adoption of improvrd production technology of mandarin by the farmers in Jhalapatan panchayat samiti of Jhalawar district of Rajasthan. M.Sc. (Agri) Thesis (Unpub.), S.K.N. Cillege of Agriculture, Jobner; 2006.
- Kumar, Navin. Study on Relationship between Selected Independent Variables with Knowledge of the Mobile Agro-Advisory Services Using Farmers of Udupi District of Karnataka." Economic Affairs. 2019;64(3,4).

© 2022 Bamon and Bose; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly citeG

Peer-review history:
The peer review history for this paper can be accessed here:
https://www.sdiarticle5.com/review-history/89931