



Millets for Food and Nutrition Security: A Review

Mridula Pandey ^a, Sadhna Singh ^{b++}, Rahul Tripathi ^{c#},
Ayush Mishra ^{d#}, P. K. Singh ^{e†}, Himanshu Tiwari ^{f‡*},
Prashant Dwivedi ^{c#} and Suneel Kumar ^{g#}

^a Department of Food Science and Nutrition, College of Community Science, ANDUAT, Kumarganj, Ayodhya, Uttar Pradesh, India.

^b College of Community Science, ANDUAT, Kumarganj, Ayodhya, India.

^c Department of Agronomy, Chandra Shekhar Azad University of Agriculture and Technology, Kanpur, Uttar Pradesh, India.

^d Department of Agricultural Extension Education, CCS Haryana Agricultural University, Hisar, Haryana, India.

^e Sardar Vallabhbhai Patel University of Agriculture and Technology, Meerut, Uttar Pradesh, India.

^f Department of Agronomy, Sardar Vallabhbhai Patel University of Agriculture and Technology, Meerut, Uttar Pradesh, India.

^g Department of Soil Science and Agricultural Chemistry, Sardar Vallabhbhai Patel University of Agriculture and Technology, Meerut, Uttar Pradesh, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/IJPSS/2024/v36i24385

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/109260>

Review Article

Received: 14/09/2023

Accepted: 20/11/2023

Published: 01/02/2024

++ Dean;

Ph.D. Scholar;

† Director Extension;

‡ Guest Faculty;

*Corresponding author: E-mail: himanshu1996nduat@gmail.com;

ABSTRACT

Millet is a species of grass plants with small grains that have a remarkable ability to endure severe drought and play an important role in many regions of the country's dietary patterns. Millets possess an abundance amount of minerals, dietary fibre and phytochemicals which makes them nutritionally superior to conventional food grains. Millet also has a high antioxidant capacity and nutraceutical content, which can help prevent oxidative stress-related disorders like diabetes, cancer, and heart disease. Millets have been shown to provide a variety of physiological benefits such as free radical scavenging activity, anti-inflammatory, antitumor, and anti-diabetic properties. Soaking, germination, malting, decortication, and boiling of millets serve to reduce anti-nutritional elements while improving digestibility and nutritional content. Millet is a potentially tremendous crop but under-explored as compared to cereals. Enhancing the consumption of millets would help in addressing the problem of nutritional security, hidden hunger and combating oxidative stress-induced disorders in developing countries.

Keywords: *Phytochemicals; antioxidant; decortications degenerative diseases.*

1. INTRODUCTION

The small-grained cereal grasses of the Gramineae (Poaceae) family are collectively known as millets. They are said to have been domesticated by humans before rice and wheat. Millets are referred to be nutri-cereals due to their high nutritional content. Millets may be grown in challenging locations due of their drought tolerance [1]. Millets have long been known as poor man's crops, and they have great potential in the food mercenary system as well as in research and development. Millets are commonly planted, small-seeded, highly nutritious crops that can resist drought and require very little irrigation to produce. Nutritious cereals, sometimes known as millets, are high-energy foods. Millets are high in dietary fibre and minerals. These are rich in vitamins, minerals, protein, and micronutrients. They contain 2–5% fat, 7–12% protein, 65-75% carbohydrates, and 15-20% dietary fibre. Millet has higher levels of critical amino acids than other cereals [2]. As India's agriculture suffers greatly from the vagaries of the monsoon, millets, often known as "famine reserves" due to their extended and simple storage under normal conditions, are extremely important. They are most suited for mixed and intercropping, allowing farmers to manage resources sustainably while also providing food and livelihood stability. Millets, which are cultivated for both food and fodder, improve farming's economic efficiency and the food and livelihood security of millions of households, particularly small and marginal farmers and those living in remote tribal areas

with limited access to water [3]. Its various variants are consumed in many parts of India and play an important role in several states' traditional diets. Millets have been a vital part of our culture for centuries, as documented in major ancient works such as Kautilya's *Arthashastra*, Ain-i-Akbari, and others [4]. In the contemporary context, India is dealing with both the pre- and post-progress stages, working in a progressive manner, and making every attempt to achieve the label of developed country. Pre-progress concerns include common fundamental issues such as a lack of healthy nourishment and particular deficiencies such as Fe, Ca, and other nutrients, whereas post-progress issues include obesity, diabetes, cardiovascular disease, and so on. India has designated 2023 as Millet Year in order to promote its valuable nutritional qualities among people and alleviate re-production in all regions. The declarations aim to raise the community's understanding of millets' importance for food security and sustenance, as well as to build up their high-quality, environmentally friendly production [5]. Coarse Millets consist Finger Millet (Ragi; *Eleusine coracana*), Barnyard Millet (Sanwa; *Echinochloa utilis*), Pearl Millet (Bajra; *Pennisetum glaucum*), Foxtail Millet (Kauni; *Setaria italica*), Kodo Millet (Arikalu; *Paspalum setaceum*), Proso Millet (Cheena; *Panicum miliaceum*) and Little Millet (Kutki; *Panicum sumatrense*). All of these millets are high in phytochemicals and insoluble dietary fibre with antioxidant characteristics, as well as a variety of minerals (mostly micronutrients like zinc, magnesium, and iron), dietary energy, and vitamins.




Fig. 1. Millets: An approach for sustainable agriculture and healthy world (Singh et al. [6])

- ❖ **Finger millet**, also known as Ragi, is a well-known millet that is commonly consumed by people all over the world. When compared to all whole grains and minerals, ragi has the highest mineral and calcium concentration. It is known as the "wonder grain." It is a protein and amino acid powerhouse. It aids in the reduction of body heat. It also aids in the healing of ulcers and anaemia. It's an excellent substitute for rice and wheat, especially for diabetics [7].
- ❖ **Foxtail Millet**, also known as Kangni, was used in ancient times. They have a brief lifespan and are resistant to low soil fertility and drought. These are high in carbs, fibre, and minerals like copper and iron. It helps to keep our bodies healthy and immune. It also aids in the regulation of blood sugar and cholesterol levels.
- ❖ **Kodo Millet** is the coarsest millet among the minor millets and is primarily a digestible millet. It is high in phytochemicals and phytate, which aid to lower cancer risks. It aids in the reduction of body weight, which is very important for obese persons. It aids in the treatment of irregular menstrual periods in women. It

alleviates knee and joint discomfort. It is also beneficial to diabetics. It alleviates neurological diseases, particularly those affecting the eyes [8].

- ❖ **Little Millet**, also known as saamai or kutki. It helps to prevent constipation and treats any gastrointestinal disorders. It increases men's sperm counts. It is also beneficial for ladies who have irregular periods. Its high fibre content aids in the reduction of fat deposits in the body.
- ❖ **Proso Millet**, also known as cheena, is a short-lived plant that is resistant to heat and drought in western India.
- ❖ **Barnyard Millet** is another name for Sawan. It's a gluten-free millet with a high calcium, phosphorus, and fibre content. It is also heavy in carbohydrates and fat. It aids in the regulation of body temperature. It is also an excellent anti-oxidant.

2. PRODUCTION OF MILLETS IN WORLD AND INDIA

In 2020, the FAO projects that 89.17 million metric tons of millets were produced globally from 74.00 million hectares. Sorghum and pearl millet account for about 90% of global millet production, followed by finger millet, foxtail millet,



Fig. 2. Global millet cultivations scenarios (Naresh et al. [10])

proso millet, barnyard millet, small millet, and kodo millet. Millets (pearl and lesser millets) are grown in over 93 countries worldwide. Sorghum, one of the millets, is grown on 42.1 million ha of land in 105 countries, whereas production data for pearl millet and other minor millets are known from 93 countries." "Millets are produced and consumed in developing countries, particularly in Africa and Asia, at a rate of 97%. India is the world's largest producer of millets, accounting for 26.6% of global millet farming area and 83% of Asian millet production. India grows millets on 13.63 million hectares, yielding 18.02 million tonnes at 1256 kg/ha. India's top three states for millets cultivation are Maharashtra, Karnataka, and Rajasthan. It's worth noting that India produces the most Barnyard (99.9%), Finger (53.3%), Kodo (100%), Small millet (100%), and Pearl millet (44.5%) from an area of 8.87 million hectares. Madhya Pradesh leads the way in terms of tiny millets, accounting for 32.4% of total area, followed by Chhattisgarh (19.5%), Uttarakhand (8%), Maharashtra (7.8%), Gujarat (5.3%), and Tamil Nadu (3.9%). With an output of 1174 kg per hectares, Uttarakhand leads Gujarat (1056 kg per hectare) and Tamil Nadu (1067 kg per hectare) [9].

3. NUTRITIONAL COMPOSITION OF MILLET

Millets have remarkable energy density and nutritional value. As of April 2018, the Agriculture Ministry classified millets as "*Nutri Cereals*". Jowar, Bajra, Ragi/Mandua, and the lesser millets Kangani/Kakun, Cheena, Kodo, Sawa,

Jhangora, and Kutki are all examples of "*Nutri grains*" that are widely grown, consumed, and traded [11]. Millets are a staple diet in many African countries; however, they are low in macronutrients like protein and fat while being high in vitamins and minerals. Millets are strong in magnesium, which lessens the severity of asthma, the frequency of migraines, high blood pressure, and the risk of heart attack. These minerals are essential in human nutrition. Millet is also classified as an alkaline-forming food. An alkaline diet is frequently recommended to achieve optimal health and prevent illness/disease [12].

Millets have a protein content of 7-12%, a lipid content of 2-5%, a carbohydrate content of 65-75%, and a dietary fibre content of 15-20%. Pearl millet has a higher proportion of proteins (12-16%) and lipids (4-6%) than finger millet, which has a lower proportion of protein (6-8%) and fat (1.5-2%). Millet protein has superior essential amino acid profiles over maize protein. Pearl millet has more niacin than any other cereal, whereas finger millet proteins are distinct due to their high sulphur content. Millet proteins, like cereal proteins, are low in lysine, but they combine well with lysine-rich vegetable (leguminous) and animal proteins to generate nutritionally balanced composites with high biological value. Small millets contain more nutrients than fine cereals. Finger millet has the highest calcium content (300-350 mg/100 g), while other tiny millets are high in phosphorus and iron [13].

Table 1. Main millets nutritional composition in contrast to major cereals (at 12% moisture; per 100 g edible portion)

Nutrients	Finger Millet	Pearl Millet	Foxtail Millet	Proso Millet	Rice (Brown Medium Grain Raw)	Corn Grain (white)	Sorghum	Oats	Barley (Pearled Raw)
Proximate Composition									
• Moisture(g)	13.1	12.4	11.2	11.9	12.4	10.4	12.4	8.2	10.1
• Energy (kcal)	336	361	331	341	362	365	329	389	352
• Protein(g)	7.7	11.6	12.3	12.5	7.5	9.4	10.6	16.9	9.9
• Fat(g)	1.5	5	4.3	1.1	2.7	4.7	3.5	6.9	1.2
• Dietary fibre (g)	11.5	11.3	2.4	-	3.4	7.3	6.7	10.6	15.6
• Carbohydrates (g)	72.6	67.5	60.9	70.4	76.2	74.3	72.1	66.3	77.7
• Minerals(g)	2.7	2.3	3.3	1.9	-	-	1.6	-	-
Minerals and Trace Elements									
• Calcium(mg)	350	42	31	14	33	7	13	54	29
• Iron(mg)	3.9	8	2.8	0.8	1.8	2.7	3.36	4.7	2.5
• Magnesium	137	137	81	153	143	127	165	177	79
• Phosphorus	283	296	290	206	264	210	222	523	221
• Manganese (mg)	5.94	1.15	0.6	0.6	-	-	0.78	-	-
• Molybdenum(mg)	0.102	0.069	0.7	-	-	-	0.039	-	-
• Zinc (mg)	2.3	3.1	2.4	1.4	2.02	2.21	1.7	3.97	2.1
• Sodium (Mg)	11	10.9	4.6	8.2	4	35	2	2	9
• Potassium(mg)	408	307	250	113	268	287	363	429	280
Vitamins									
• Thiamine (mg)	0.42	0.33	0.59	0.2	0.41	0.39	0.33	0.76	0.19
• Riboflavin (mg)	0.19	0.25	0.11	0.18	0.04	0.2	0.096	0.14	0.11
• Niacin (mg)	1.1	2.3	3.2	2.3	4.3	3.6	3.7	0.96	4.6
• Total folic acid(µg)	18.3	45.5	15	-	20	-	20	56	23
• Vitamin E(mg)	22	-	-	-	-	-	0.5	-	0.02

(1) Gopalan et al. [14]

(2) Gopalan et al. [15]

(3) USDA National Nutrient Database for Standard Reference, Release 28 [16]

When compared to other grains, millet provides 75% more carbs and less fat (2-5%) than maize, rice, and sorghum. Millets have a complex carbohydrate content of 65-75%, a protein content of 5.6-12%, a fat content of 2-5%, a crude fibre content of 15-20%, and a mineral content of 2.5-3.5%.

4. ETHNOBOTANICAL PROPERTIES OF MILLETS

"Millets have a deep cultural importance and have always played important roles in temple celebrations. These activities are safeguarded as traditional knowledge in the regulations promulgated by PPVFRA in 2001." These traditions show that our predecessors valued these grains for their nutritional and medicinal properties. One common practice with little grains was to deliver them as a wedding gift to the bridegroom. The number of grains given was considered a symbol of prestige. Grains were often cooked, particularly during puberty and childbirth festivities." [17].

5. MILLETS AND THEIR HEALTH BENEFITS

The world is dealing with a number of health challenges including chronic diseases. According to the Global Nutritional Report [19], there are 149.2 million stunted children under the age of five, 45.4 million wasting children, and 38.9 million overweight children. Over 40% of the population suffers from severe obesity, overweight, and malnutrition. A nutrient-imbalanced diet is the root cause of all of these disorders. The United Nations Food and Agriculture Organization estimates that 795 million people, or about 10% of the world's population, are malnourished. India has the world's highest population of undernourished people. Around 194.6 million individuals, or 15.2% of India's total population, are malnourished. According to the data from the 2022 Global Hunger Index study, India ranks 107th out of 119 countries. Millets are ranked sixth in terms of total cereal grain production in the globe. These are still used as staple foods in many parts of the world [20].




Fig. 3. Nutritional uniqueness of millets. Each sphere depicts the specialty of millets in food (Pramitha et al. [18])




Fig. 4. Benefits and role of Millets Nutri-Cereals (Majumder et al. [21])

5.1 Regulate Blood Glucose Levels

When compared to wheat and maize, millets are higher in nutrients, gluten-free, and have a low glycaemic index (54-68). The presence of a high amount of dietary fibre, proteins with all essential amino acids, vitamins, and minerals aids in blood sugar stabilization. Millets can be included in a diabetic's balanced diet to help minimize blood sugar increases and promote insulin sensitivity.

5.2 Millets in Cardiovascular Disease

The leading cause of heart attacks and strokes is a poor diet. Millets can help reduce the prevalence of cardiovascular disease. In hyperlipidaemic rats, finger and proso millet reduced plasma triglycerides. Furthermore, the inhibitory effects of phenolic extracts from millets such as kodo, finger, proso, foxtail, tiny, and pearl millets on lipid peroxidation were investigated. In the food systems employed in this investigation, all kinds inhibited lipid oxidation effectively, however kodo millet inhibited lipid peroxidation better than butylated hydroxy anisole at 200 ppm.

5.3 Battle Cancer Cells

Millet grains contain antinutrients such as tannins, phytates, and phenolic acids. It has been demonstrated that the antinutrients found in millets help reduce the risk of colon and breast cancer in mice. In vitro, millet phenolics may be useful in preventing cancer development and progression. A fibre-rich diet of whole grains like millet and fruits protects menopausal women from breast cancer. Whole grains are high in fibre, which provides the most protection. Resistant starch also aids in the release of necessary metabolites such as short chain fatty acids in the colon, particularly butyrate, which aids in colonic cell proliferation stabilization as a preventive strategy for colon cancer.

5.4 Promotes Digestion

Millets include a high level of dietary fibre, which helps to improve digestive system function. It treats constipation, flatulence, bloating, and cramping, as well as improving the overall health of other key organs such as the liver and kidneys and boosting the immune system.

5.5 Millets in Aging

Millets have the ability to defend against aging. A key factor contributes to issues such as diabetes

and aging. Non-enzymatic glycosylation is a chemical process. Millet grains have antioxidant properties due to their high antioxidant and phenolic content. These antioxidant activities contribute to the prevention of aging and metabolic syndrome. Methanolic extracts of finger millet and kodo millet have been shown to prevent collagen glycation and crosslinking [22].

5.6 Millets in Gallstones

Some researchers conducted a study that found that eating meals high in fibre (both soluble and non-soluble) helped women avoid gallstones. According to one study, women who ate high-fibre foods had a 13% lower risk of getting gallstones than women who ate the least number of fibre-rich foods.

6. ANTI-NUTRIENT FACTORS IN MILLETS

Millet contains anti-nutrients such as phytates, polyphenols, tannins, and trypsin inhibitors in addition to nutritive characteristics. Anti-nutrients are naturally occurring chemicals that impair nutrient digestion, absorption, and utilization and may have additional negative effects in humans and animals. Traditional processing processes including as decortication, soaking, roasting, germination, malting, and fermentation can assist to minimize these anti-nutrients. Anti-nutritional factors like as fibre, phytate, and enzyme inhibitors are affected by processing, which can increase or decrease the bioavailability of micro and macronutrients [23].

6.1 Phytates

Phytates and phytic acids are naturally occurring compounds in the plant kingdom. Phytate is also known as myo-inositol-1, 2, 3, 4, 5, 6-hexakis dihydrogen phosphate, and it can be found in foods at concentrations ranging from 0.1 to 6.0%. Phytates account for 50 to 80% of total phosphorus in seeds. Because plant-based foods contain more phytic acids than animal-based foods, developing-country vegetarian diets lead to high intake levels. In general, phytic acids reduce mineral bioavailability and have a significant impact on newborns, pregnant and nursing women when substantial amounts of cereal-based diets are consumed [24].

6.2 Tannins

Tannins are a type of anti-oxidant polyphenol that is commonly found in food and beverages. After cellulose, hemicellulose, and lignin, tannins

Table 2. Anti-nutritional factors

Millets	Anti-nutrients
Barnyard Millets [Sanwa]	Phytic and Tannin Acid
Finger Millets [Ragi]	Tannins, Non-Starch Polysaccharides-Glucans, Oxalates, Phytates and Protease Inhibitors,
Foxtail Millets [Kakum]	Phytic Acid and Phenolic Compound
Pearl Millets [Bajra]	Phytic Acid, Polyphenols, Alpha Amylase Inhibitors
Porso Millets [Chena]	Phytic Acid, Polyphenols, Alpha Amylase Inhibitors
Sorghum [Jawar]	Cyanogenic Glucoside and Tannins

Bora [23]

are the plant's fourth most prevalent component. In India, the daily consumption of tannin is 1500-2500 mg, according to dietary studies. A daily intake of less than 1.5 to 2.5g tannin has no negative consequences. However, over this limit causes disorders such as anemia and osteoporosis, as well as worsening cancer. However, some carcinogenic chemicals can cause cancer and necrosis of liver cells.

6.3 Polyphenols

Polyphenols are regarded essential for life because they help to maintain one's physique and health throughout one's life. They are antimutagenic, anticarcinogenic, antiestrogenic, anti-inflammatory, antiviral, and platelet aggregation inhibitors that can be used to treat and prevent disorders.

Millet has a strong antioxidant potential and contains about 50 phenolic components such as phenolic acids and their derivatives, flavanols, flavones, and flavanonols. Soluble phenolic chemicals are commonly found in the pericarp of the kernel and the bound form of the cell wall. Polyphenols are classified into simple phenols, phenolic acids, tannins, flavonoids, lignans, lignins, curcuminoids, coumarins, and stilbenes based on their carbon skeleton. Pearl millet has a polyphenolic concentration ranging from 502.78 to 767.54 mg/100g [25].

7. MILLETS ROLE IN PROMOTING NUTRITIONAL SECURITY

Only two crops, wheat and rice, are required for India to have an adequate food supply. Millets were the backbone of India's food and farming systems, but output and consumption have declined dramatically for a variety of reasons, and farmers have neglected millions of hectares of dry land. These areas, if converted to agricultural use, might create employment in

India's most undeveloped districts. Furthermore, both food sovereignty and food security will be preserved. The Government of India is executing a number of efforts to provide grains to low-income households at a reduced cost, but the food security bill is expected to be the first to include millet in the Public Distribution System. As previously stated, millets have a higher mineral content than other grains; nevertheless, due to anti-nutrient factors, their bioavailability is reduced. According to scientific study, soaking, malting, popping, puffing, germination, and fermentation are simple and inexpensive home processing processes that have been demonstrated to boost nutrient availability from millets. As a result, if receivers of Food Security Bills are educated on these simple approaches, nutrient security will be addressed to some extent within the restrictions of available resources [26].

8. CONCLUSION

Millet is an important food source for animals and birds. However, millet has enormous promise for population nutrition due to its low cost and ease of growing. Millet has a variety of nutrients, antinutrients, and antioxidants, making it an important component of dietary and nutritional balance in foods. Millet anti-nutrients (such as polyphenols, phenolic compounds, tannins, and flavonoids) are not directly related to nourishing the body but play a major role in the prevention and treatment of diseases such as diabetes, cardiovascular disease, cataract, cancer, inflammation, gastrointestinal issues, and so on. Millet is unique among cereals in that it is alkaline-forming and gluten-free. Millet is the finest gluten-free alternative for celiac patients.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Yadav R, Singh LB, Patel A, Kumar M, Kumar M, Pandey MK, Pandey MK, Yadav S, Kumar S, Singh S. A Review on Yield Gap Analysis of Millets in India. *International Journal of Plant & Soil Science*. 2023;35(18):1800-1804.
2. Kumar S, Singh S, Yadav R, Kumar M, Yadav S. Millets: An ancient food and its nutritional importance for human health. *Agrospheres: e-Newsletter*. 2023; 4(7):1-4.
3. Tiwari H, Naresh RK, Kumar L, Kataria SK, Tewari S, Saini A, Asati R. Millets for food and nutritional security for small and marginal farmers of North West India in the context of climate change: A review. *International Journal of Plant & Soil Science*. 2022;34(23):1694-1705.
4. Pal B, Mukhopadhyay A, Kishore A, Agarwal AK, Debangshi U, Verma HP, Sunil Jathar G. Revitalizing the Potential of Minor Millets: Agrarian Constraints, Possible Solutions and Future Roadmap. *International Journal of Environment and Climate Change*. 2023; 13(7):328–338. Available:<https://doi.org/10.9734/ijecc/2023/v13i71884>
5. Kumar S, Sridhar R, Monika S, Kumar A, Raghavan M, Tiwari H, Kumar A, Singh S, Yadav R. A comprehensive review on millets: A potential source of energy and nutrients for health. *International Journal of Environment and Climate Change*. 2023; 13(9):2531-2538.
6. Singh RP, Qidwai S, Singh O, Reddy BR, Saharan S, Kataria SK, Kumar L. Millets for food and nutritional security in the context of climate resilient agriculture: A review. *International Journal of Plant & Soil Science*. 2022;939-953.
7. Gull A, Jan R, Nayik GA, Prasad K, Kumar P. Significance of finger millet in nutrition, health and value-added products: a review. *Magnesium (mg)*. 2014;130:1601-1608.
8. Deshpande SS, Mohapatra D, Tripathi MK, Sadvatha RH. Kodo millet-nutritional value and utilization in Indian foods. *Journal of Grain Processing and Storage*. 2015;2(2): 16-23.
9. Singh S, Yadav RN, Tripathi AK, Kumar M, Kumar M, Yadav S, Kumar D, Kumar S, Yadav R. Current Status and Promotional Strategies of Millets: A Review. *International Journal of Environment and Climate Change*. 2023;13(9):3088-3095.
10. Naresh RK, Bhatt R, Singh PK, Kumar Y, Tiwari H, Saini A, Thakur H. Millet: The super food in context of climate change for combating food and water security: A review. *The Pharma Inno*. 2023;12(3): 1040-1049.
11. Rai A, Rajput J, Singh AK, Singh SK, Rai S, Anirudh TV. Millets for food and nutritional security food and scientific reports. 2023;4(2):37-42.
12. Chauhan M, Sonawane SK, Arya SS. Nutritional and nutraceutical properties of millets: A review. *Clinical Journal of Nutrition and Dietetics*. 2018;1(1):1-10.
13. Saini S, Saxena S, Samtiya M, Puniya M, Dhewa T. Potential of underutilized millets as Nutri-cereal: an overview. *Journal of Food Science and Technology*. 2021;1-13.
14. Gopalan C, Ramashastry BV, Balasubramanian SC. Nutritive value of Indian foods. Hyderabad: National Institute of Nutrition, ICMR; 1999.
15. Gopalan C, Ramashastry BV, Balasubramanian SC. Nutritive Value of Indian Foods. Hyderabad: National Institute of Nutrition (NIN), Indian Council of Medical Research. 2004;59-67.
16. USDA National nutrient database for standard reference, Release. US Department of agriculture, Agricultural research service, Nutrient Data Laboratory; 2016;28.
17. Tiwari H, Singh PK, Naresh RK, Islam A, Kumar S, Singh KV, Shukla A. Millets Based integrated farming system for food and nutritional security, Constraints and agro-diversification strategies to fight global hidden hunger: A review. *International Journal of Plant & Soil Science*. 2023;35(19):630-643.
18. Lydia Pramitha J, Ganesan J, Francis N, Rajasekharan R, Thinakaran J. Revitalization of small millets for nutritional and food security by advanced genetics and genomics approaches. *Frontiers in Genetics*. 2023;13:1007552.
19. Global Nutrition Report. The state of global nutrition; 2021.
20. FAO, IFAD, UNICEF, WFP and WHO. The State of Food Security and Nutrition in the World; 2022.
21. Majumder PK, Kaur R, Singh B, Tripathi H. Millets for global human health—A comprehensive; 2023.

22. Singh S, Chauhan ES. Role of underutilized millets and their nutraceuticals importance in the new era. A review. Int. J. Sci. Res. 2019;8(2):2844-2857.
23. Bora P. Anti-nutritional factors in foods and their effects. Journal of Academia and Industrial Research. 2014;3(6):285-290.
24. Grases F, Prieto RM, Costa-Bauza A. Dietary phytate and interactions with mineral nutrients. Clinical Aspects of Natural and Added Phosphorus in Foods. 2017;175-183.
25. Shahidi F, Chandrasekara A. Millet grain phenolics and their role in disease risk reduction and health promotion: A review. Journal of Functional Foods. 2013; 5(2):570-581.
26. Tiwari H, Naresh RK, Bhatt R, Kumar Y, Das D, Kataria SK. Underutilized nutrient rich millets: Challenges and solutions for India's food and nutritional security: A review. International Journal of Plant & Soil Science. 2023; 35(2):45-56.

© 2024 Pandey et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:
<https://www.sdiarticle5.com/review-history/109260>